position to be cleaned; and,

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A cleaning system for cleaning the position to be eleaned is provided with, comprising:

a cleaning medium having a part thereof composed of <u>a</u> magnetic substance and guided onto a cleaning position to be cleaned of a cleaned object being aimed at cleaning; <u>and</u> a magnetic field generating device for applying positioned to apply a magnetic force to said magnetic substance by the action of said generated generating a magnetic field in said cleaning medium and rubbing against each other said magnetic substance and said cleaning

wherein a said cleaning position to be cleaned is cleaned by said rubbing operation with a rubbing action of said cleaning medium, and

wherein the magnetic field generating device is positioned to increase a magnitude of said magnetic field after a predetermined interval, thereby increasing a specific gravity of the magnetic substance and enabling removal of dirt.

Claim 2 (Original): The cleaning system as defined in claim 1, wherein at least a part of said magnetic substance is a magnetic fluid.

Claim 3 (Currently Amended): The cleaning system as defined in claim 1, wherein a polishing agent is contained in said cleaning medium in order to further effectively clean said cleaning position by the action of said magnetic force from said magnetic substance.

Claim 4 (Previously Presented): The cleaning system as defined in claim 3, wherein said magnetic substance is enclosed in an elastic covering material.

Claim 5 (Previously Presented): The cleaning system as defined in claim 1, wherein the particle shape of at least a part of said magnetic substance is polygonal.

Claim 6 (Previously Presented): The cleaning system as defined in claim 1, wherein the respective particle sizes of said magnetic substances and said polishing agent are of at least two sorts.

Claim 7 (Previously Presented): The cleaning system as defined in claim 1, wherein said cleaning system further includes a magnetic field changing device for successively changing at least either one of the strength and the direction of said magnetic field.

Claim 8 (Original): The cleaning system as defined claim 7, wherein said magnetic field changing device generates a successive flow of said cleaning medium to be directed to one direction side by successively changing at least one of said intensity and direction of said magnetic field.

Claim 9 (Original): The cleaning system as defined in claim 8, wherein said magnetic field changing device generates a rotative magnetic field and thereby generates the successive flow for directing said cleaning medium to said one direction side.

Claim 10 (Original): The cleaning system as defined in claim 7, wherein said magnetic field changing device changes said magnetic field to an alternate magnetic field.

4

Claim 11 (Previously Presented): The cleaning system as defined in claim 1, wherein said cleaning system further comprises:

a dirt removing device, in which, by controlling said magnetic field generating device, the magnetic field having the strength to the extent that the dirt parted from said cleaned object by the operation of said cleaning is caused to float up on the upper surface of said cleaning medium is generated in said cleaning medium.

Claim 12 (Previously Presented): The cleaning system as defined in claim 1, wherein said cleaning system further comprises:

a magnetic field mode changing device for changing in order said magnetic field mode exerted on the same position of said cleaned object by said magnetic field generating device to the plural sorts of mode.

Claim 13 (Previously Presented): The cleaning system as defined in claim 7, wherein said cleaning system further comprises a rubbing material;

wherein, when at least one of the strength and the direction of said magnetic field is successively changed by said magnetic field changing device, the magnetic force applied to the magnetic pole of said magnetic field generating device is utilized as a drive source; and

wherein, by the utilization as said drive source, the position excluding the position of said cleaned object is rubbingly cleaned by said rubbing material.

Claim 14 (Currently Amended): The cleaning system as defined in claim 1, wherein said cleaning system further comprises:

a flashing flushing device for flashing flushing said cleaned object after said cleaning operation and removing the remaining dirt after said cleaning operation.

Application No. 10/697,115

Reply to Office Action of June 24, 2005

Claims 15-31 (Canceled).

Claim 32 (New): A cleaning system, comprising:

a cleaning medium including a magnetic substance;

a magnetic field generating device positioned to apply a magnetic force to the magnetic substance, thereby causing the magnetic substance to rub an object to clean the object,

wherein the magnetic field generating device is configured to increase a magnitude of the magnetic force after a predetermined interval, thereby increasing a specific gravity of the magnetic substance and enabling removal of dirt from the cleaning medium.

Claim 33 (New): The cleaning system according to Claim 32, wherein the magnetic substance includes a magnetic fluid.

Claim 34 (New): The cleaning system according to Claim 32, wherein the cleaning medium further includes a polishing agent.

Claim 35 (New): The cleaning system according to Claim 34, wherein an elastic covering material encases the magnetic substance.

Claim 36 (New): The cleaning system according to Claim 34, wherein:

the magnetic substance is comprised of substance particles, at least a portion of which have a first particle size,

the polishing agent is comprised of agent particles, at least a portion of which have a

second particle size, and

the first particle size is different from the second particle size.

Claim 37 (New): The cleaning system according to Claim 32, wherein the magnetic

substance is comprised of particles, at least a portion of which have polygonal shapes.

Claim 38 (New): The cleaning system according to Claim 32, further comprising a

magnetic field changing device configured to change at least one of the intensity and the

direction of the magnetic field.

Claim 39 (New): The cleaning system according to Claim 38, wherein the magnetic

field changing device is configured to generate a successive flow of the cleaning medium in

the direction by successively changing at least one of the intensity and the direction of the

magnetic field.

Claim 40 (New): The cleaning system according to Claim 38, wherein the magnetic

field changing device is configured to generate a rotative magnetic field, which generates a

flow for directing the cleaning medium in the direction of the magnetic field.

Claim 41 (New): The cleaning system according to Claim 38, wherein the magnetic

field changing device is configured to change the magnetic field to an alternating magnetic

field.

7

Claim 42 (New): The cleaning system according to Claim 32, further comprising a dirt removing device configured to cause dirt removed from the object to float to an upper surface of the cleaning medium by controlling the magnetic field generating device.

Claim 43 (New): The cleaning system according to Claim 32, further comprising a flushing device configured to remove any remaining dirt on the object by flushing the object after cleaning.

Claim 44 (New): The cleaning system according to Claim 1, wherein said cleaning medium is guided onto said cleaning position.